

PROTEOMIS CEIA LAB, sprl Bd Saint-Michel 119 1040 BRUXELLES - Belgique Tél: +32 2 736 04 58 Fax: +32 2 736 58 02

Reg	uest	form

Reserved Profile nr. : Entry date:

	I KOTEOIIIK	5 Tax. 102 2 700 00 02				
		Patient information	*			Referring physician (name or stamp)*
	Last name :					
	First name :					
	Birthdate :	(dd/mm/yyyy):	Gende	r: 🔲 M	□F	
ers	Address:					
al lett						
* Please, complete in capital letters	Zip code :	City:				Sample information *
ete in	Country:					
ompl	Tel :	Fax:	•			Date of collection:
ase, c	E-mail :					Hour:
* Pe		Cli	nical ir	nformat	ion	
	Weight ·		ilicai ii	iioi iiiac	1011	
Weight :						
	Antecedents (give	e date) :				
	Subjective compla	aints :				
	Known diagnosis	:				
	Suspected diagno	sis :				
	Objective signs .					
	Important treatm	n of Diseases				
		Requested analyses €		Payment method		
	PROTEOMIS Pro			142,00	D-DI- t	
	\Rightarrow I dry tube	e (no anticoagulant), 7.5 ml, gold-top 🔸 (or re				N : BE05 3101 1277 1175
Personalized interpretation and report				50,00		: BBRUBEBB
					□•Credit ca	ırd
					O-E	UROCARD/MASTERCARD O·VISA
					Name :	
/2023					Card number	er:
0//0						
- 7 -				45 22		
H.		shipment European Union (optional)		45,00	Control Co	de : Expires :
: form	redex prepaid	shipment Rest of the world (optional) Total amo	unt _	90,00	Date :	Signature :
sanba		i otal amo	uiit			
'ECH-046 - Request form - EN - 7 - 01/01/2023		P	atient	consen	t	
¥-2	I understand that the analyses mentioned above are not reimbursed by Social Security and that I shall be charge for the cost of these.					shall be charge for the cost of these.
띮	Date: Signature:					

INSTRUCTION FOR BLOOD COLLECTOR

*** PROTEOMIS profile ***					
Tubes to collect	PROTEOMIS Profile (CEIA Method)	I dry tube (no anticoagulant), 7.5 ml, gold-top • (or red)			

Provided equipment

- Tubes :
 - I x 7,5 ml Vacutainer SST II Advance tube(s) with gold closure, gel and clotting activator.
 - I Vacutainer blood collection needle to be connected to the Vacutainer tube using the Vacutainer holder.
- A waterproof bag
- A protective container
- This analysis request form
- A Fedex prepaid request form to be completed
- A user's guide for blood collection (if Sartedt tubes)
- A user's guide for shipment
- A padded envelope, UN3373 marked for postal shipment
- A Fedex « Clinical Pack » bag (if shipped via Fedex)

Method for collecting and sending

Sample:

- When possible, the blood sample is taken on an empty stomach.
- Write on the tube: patient's first and last name, birthdate, collection date
- If possible, centrifuge the dry tubes only at 1800-2200 g (=ca 3000 rpm) during 10 minutes and collect the serum.
- Place the tube in the protective container
- Then, place the container into the waterproof bag, pull away the blue release liner and press to close the bag
- Place the prescription, the analysis request form in the side pocket of the bag
- Place in the padded envelope
- Ship to:

PROTEOMIS
CEIA LAB sprl
Bd Saint-Michel 119
B-1040 Brussels - Belgium

- Important:
 - \Rightarrow do not freeze the samples
 - ⇒ if shipment is delayed, keep the samples in the refrigerator at + 4°C.
 - \Rightarrow do not forget to fill in the analysis request form and to give full details of the patient

• If shipment by Fedex via Proteomis :

- ⇒ Contact us to confirm the shipping prices
- \Rightarrow Contact us to obtain a Fedex shipping note
- ⇒ Place the envelope with the sample and request form in the Fedex Clinical Pack bag
- ⇒ Contact your Fedex local customer services (France: **0820 123 800**, 08456 07 08 09) to schedule a pickup with Fedex or plan it with us
- \Rightarrow Give the pack to the driver
- ⇒ You do not have to pay anything at pickup time PROTEOMIS-CEIA LAB has an account at Fedex Contact us if necessary